

Current Stocked Racking:

Ridg-U-Rak Uprights:



High performance ridg-U-Rak sets the industry standard for rigidity, strength and durability. The slotted upright and beam design make's Ridg-U-Rak the easiest rack to install or to change beam levels.

Rack capacities shown are based on the new RMI(Rack Manufacturers Institute)standards.

Color: Dark Green.

Park Number	Description	Capacity @48"	Wt.
UFS32C-8-24	Upr. 8'h. x 24"d.	22,100	48.3
UFS32C-8-26	Upr. 8'h. x 26"d.	22,100	50.6
UFS32C-12-30	Upr. 12'h. x 30"d.	22,100	74.4
UFS32C-8-36	Upr. 8'h. x 36"d.	22,100	53
UFS32C-10-36	Upr. 10'h. x 36"d.	22,100	64.50
UFS32C-12-36	Upr. 12'h. x 36"d.	22,100	77.6
UFS32C-14-36	Upr. 14'h. x 36"d.	22,100	87.7
UF32C-16-35	Upr. 16'h. x 36"d.	22,100	102.3

Park Number	Description	Capacity @48"	Wt.
UFS32C-4-42	Upr. 4'h. x 42"d.	22,100	29.9
UFS32C-8-42	Upr. 8'h. x 42"d.	22,100	55.4
UFS32C-10-42	Upr. 10'h. x 42"d.	22,100	67.5
UFS32C-12-42	Upr. 12'h. x 42"d.	22,100	80.9
UFS32C-14-42	Upr. 14'h. x 42"d.	22,100	90.9
UFS32C-16-42	Upr. 16'h. x 42"d.	22,100	106.5
UFS32C-8-48	Upr. 8'h. x 48"d.	22,100	57.9
UFS32C-10-48	Upr. 10'h. x 48"d.	22,100	70.5
UFS32C-12-48	Upr. 12'h. x 48"d.	22,100	84.4
UFS32C-14-48	Upr. 14'h. x 48"d.	22,100	94.2
UFS32C-16-48	Upr. 16'h. x 48"d.	22,100	100.8
UFS33C-12-42	Upr. 12'h. x 42"d.	26,200	84.3
UFS33C-16-42	Upr. 16'h. x 42"d.	26,200	111.2
UFS33C-18-42	Upr. 18'h. x 42"d.	26,200	122.5
UFS33C-20-42	Upr. 20'h. x 42"d.	26,200	135.3

Contact JMH for updated pricing @ 814-266-3492 or Fax 814-262-9406

Email dtessari@jmh-sales.com Website www.jmh-sales.com

Ridg-U-Rak Beams:


Colors: Orange

Part number	Description	Capacity	Weight
RBS32P-2.50-48	Beam 48"l. x 2.5"h	5,570	12
RBS32P-3.00-72	Beam 72"l. x 3"h.	4,760	18.5
RBS32P-3.00-96	Beam 96"l. x 3"h.	2,660	23.8
RBS32P-3.55-96	Beam 96"l. x 3.55"h.	4,010	26.1
RBS32P-4.10-96	Beam 96"l. x 4.10"h.	5,740	28.3
RBS32P-4.65-96	Beam 96"l. x 4.65"h.	7,270	30.5
RBS32P-5.55-96	Beam 96"l. x 5.55"h.	9,460	33.6
RBS32P-4.10-108	Beam 108"l. x 4.10"h.	4,520	31.5
RBS32P-4.65-108	Beam 108"l. x 5.65"h.	6,220	34
RBS32P-4.65-120	Beam 120"l. x 4.65"h.	5,020	37.50
RBS32P-5.55-120	Beam 120"l. x 5.55"h.	7,530	41.4
RBS32P-5.55-132	Beam 132"l. x 5.55"h.	6,310	45.4
RBS32P-5.55-144	Beam 144"l. x 5.55"h.	5,290	49.2
RBS32P-6.00-144	Beam 144"l. x 6.00"h.	6,670	52.8
RBS32P-6.50-156	Beam 156"l. x 6.50"h.	6,930	61.8

Contact JMH for updated pricing @ 814-266-3492 or Fax 814-262-9406

Email dtessari@jmh-sales.com Website www.jmh-sales.com

Ridg-R-Rak Accessories:




Non-Flanged

Flanged

Part number	Description	capacity	Weight
CBFS-2-36	CB Flange 36" galv.	1,840	4.8
CBFS-2-42	CB Flange 42" galv.	1,540	5.5
CBFS2-48	DB Flange 48" galv.	1,320	6.3
CBNS-2-36	CB Non Flanged 36" galv.	1,840	4.1
CBNS-2-42	CB Non Flanged 42" galv.	1,540	4.9
CBNS-2-48	CB Non Flanges 48" galv.	1,320	5.6

Row Spacers:



RSL-3-6	Row Spacer 6" galv.	N/A	1.2
RSL-3-8	Row Spacer 8" galv.	N/A	1.4
RSL-3-10	Row Spacer 10" galv.	N/A	1.7
RSL-3-12	Row Spacer 12" galv.	N/A	1.9
RSL-3-18	Row Spacer 18" galv.	N/A	2.6

RSL-3-24	Row Spacer 24" galv.	N/A	3.3
RSL-3-48	Row Spacer 48" galv.	N/A	6.2

Miscellaneous:



CG-G-S32-P-12	Post protector 12" w/ anchors	11.3
CG-G-S32-P-18	Post protector 18" w/ anchors	15.3
SM-S-3.68-6	Shims 5/64" thick	0.5
SM-H-3.68-6	Shims 1/8" thick	0.8
WS 375-12	Anchors 1/2" x 3-3/4"	0.2
WS 375-58	Anchors 5/8" x 3-3/4"	0.4
PP-500	Pinch pin safety clip	0.1
CL-CLIP	Beam safety clip	0.01
OS-H-33P-3	Pallet load stop conn. 3"	2.71
84849	J Safety pin Ridg-U-Rak	

Contact JMH for updated pricing @ 814-266-3492 or Fax 814-262-9406

Email dtessari@jmh-sales.com Website www.jmh-sales.com

Pallet Rack Wire Decking:



Part number	Capacity	Weight
WDA-A-2446	2500 lb.	12
WDA-A-3646	2500 lb.	18
WDA-A-3652	2500 lb.	20
WDA-A-3658	2500 lb.	23
WDA-A-4246	2500 lb.	20.5
WDA-A-4252	2500 lb.	22.5
WDA-A-4258	2500 lb.	23.5
WDA-A-4846	2500 lb.	23.5
WDA-A-4852	2500 lb.	26
WDA-A-4858	2500 lb.	30.5

Contact JMH for updated pricing @ 814-266-3492 or Fax 814-262-9406

Email dtessari@jmh-sales.com Website www.jmh-sales.com

Speedrack Uprights Teardrop

Teardrop closed column design. Any Engineer will confirm the fact that a closed tube column is much stronger than an open box channel. A closed column also increases torsional resistance more than 200 times over any relative open shape. All Speedrack columns, beams, horizontals and diagonals are tubular. That is strength working for your safety.



Part number	Description	Capacity	wt.
UT24072-NDCT	Upr. 6'h. x 24"dp.	20,900	34
UT24096-NDCT	Upr. 8'h. x 24"dp.	20,900	45.5
UT36096-NDCT	Upr. 8'h. x 36"dp.	20,900	46.80
UT36120-NDCT	Upr. 10'h. x 36"dp.	20,900	57.3
UT36144-NDCT	Upr. 12'h. x 36"dp.	20,900	68.7
UT36168-NDCT	Upr. 14'h. x 36"dp.	20,900	78.20
UT36192-NDCT	Upr. 16'h. x 36"dp.	20,900	91.6
UT42096-NDCT	Upr. 8'h. x 42"dp.	20,900	48.3
UT42120-NDCT	Upr. 10'h. x 42"dp.	20,900	59.2
UT42144-NDCT	Upr. 12'h. x 42"dp.	20,900	70.8
UT42144-NHCT	Upr. 12'h. x 42"dp.	30,600	82.9
UT42168-NDCT	Upr. 14'h. x 42"dp.	20,900	80.2
UT42192-NDCT	Upr. 16'h. x 42"dp.	20,900	94.1
UT42192-NHCT	Upr. 16'h. x 42"dp.	30,600	110.3
UT42240-NHCT	Upr. 20'h. x 42"dp.	30,600	134.7
UT48096-NDCT	Upr. 8'h. x 48"dp.	20,900	49.8
UT48120-NDCT	Upr. 10'h. x 48"dp.	20,900	61

UT48144-NDCT	Upr. 12'h. x 48"dp.	20,900	72.9
UT48168-NDCT	Upr. 14'h. x 48"dp.	20,900	82.3
UT48192-NDCT	Upr. 16'h. x 48"dp.	20,900	96.8


Speedrack Beams:

Part Number	Description	Capacity	Wt.
KT32D-048-AA	Beam 48"l. x 3.25"h	6,960	13.9
KT32D-060-AA	Beam 60"l. x 3.25"h	5,640	15.6
KT32D-072-AA	Beam 72"l. x 3.25"h	4,780	18.8
KT32D-096-AA	Beam 96"l. x 3.25"h	3,040	23.7
KT36D-096-AA	Beam 96"l. x 3.75"h.	4,290	25.1
KT41D-096-AA	Beam 96"l. x 4.125"h	5,230	26.8
KT52D-096-AA	Beam 96"l. x 5.25"h	7,600	30.8
KT44D-108-AA	Beam 108"l. x 4.5"h	5,380	31.2
KT52D-108-AA	Beam 108"l. x 5.25"h	6,840	34.2
KT44D-120-AA	Beam 120"l. x 4.5"h	4,420	34.2
KT52D-120-AA	Beam 120"l. x 5.25"h	6,220	37.5
KT52D-144-AA	Beam 144"l. x 5.25"h	4,620	44.2
KT60D-144-AA	Beam 144"l. x 6"h	6,480	48.2
KT60C-144-AA	Beam 144"l. x 6"h	7,580	54.4

Contact JMH for updated pricing @ 814-266-3492 or Fax 814-262-9406

Email dtessari@jmh-sales.com Website www.jmh-sales.com

Speedrack Row Spacers, Misc.



AFRS-3-8-0	Row spacer 8"	N/A	1.7
AFRS-3-10-0	Row spacer 10"	N/A	1.9
AFRS-3-12-0	Row spacer 12"	N/A	2
H510	Shim 3.5" x 3.5" x 12 ga.	N/A	N/A
H511	Shim 3.5" x 4.5" x 12 ga.	N/A	.4
BP2-34-50-13	Shim 3.5" x 5"	N/A	.7
H001	Beam clip	N/A	N/A

Contact JMH for updated pricing @ 814-266-3492 or Fax 814-262-9406

Email dtessari@jmh-sales.com Website www.jmh-sales.com